N. P. N. SEMI-ANNUAL INDEX

Of Technical and Semi-Technical Refinery Articles

July-December, 1935

Title	Issue	Page
Asphalt		
$496,000,000 Ten-Year Asphalt Market Pointed Out by Low Cost Roads Association	July 17.	34
Cracking and Polymerization		
Root Refining Decision in Patent Suit vs. Universal Oil Upheld on Appeal; to Petition for Rehearing, by Arch L. Foster	July 3.	20
Root Refining Appeals Cracking Patent Suit to Supreme Court	Sept. 25.	10
U. S. Supreme Court Refuses to Hear Root Refining Appeal in Patent Suit	Oct. 23.	24
Sinclair Cracking Suit vs. Donnelly Process Co., Dismissed	Nov. 6.	19
The Influence of Various Factors in Cracking Petroleum, by A. W. Trusty	Nov. 6.	34
Costs of Polymerization of Refinery and Natural Gases Studied, by Arch L. Foster	Nov. 20.	22
Polymerization, a Tool of Great Economic Utility, by Gustav Egloff	Nov. 20.	25
Variation in Operating Conditions Change Properties of Polymerized Fuel, by M. B. Cooke, H. R. Swanson and C. R. Wagner	Nov. 20.	33
Imposing Patent Structure Already Developed to Cover Polymerization	Nov. 20.	45
3.5 Cents Per Gallon is Manufacturing Cost of Polymerized Gasoline, by P. C. Keith, Jr., and J. T. Ward	Nov. 20.	52
The Mechanisms of Olefin Polymerization, by Gustav Egloff	Nov. 20.	65
Conservation of Oil Given Impetus by Polymerization Processes, by Arch L. Foster	Nov. 20.	73
Detonation, Knock Rating and Knock Testing		
Tests Effectiveness of Lead in Pure Hydrocarbons	July 31.	23
Disulfides Decrease Susceptibility of Motor Fuels to Lead, by W. A. Schulze and A. E. Buell	Oct. 9.	25
Hydrogenation		
Hydrogenated Motor Fuel Tested in England	July 3.	18
Germany Building Three Hydrogenation Plants	Oct. 9.	31
Progress in Hydrogenation Reported on by British Secretary for Mines	Oct. 16.	110
Polymerization-Hydrogenation Unit Planned by S. O. California	Nov. 6.	23
Britain's First Hydrogenation Plant at Billingham-on-Tees Opened by Ramsay MacDonald	Nov. 13.	80
More British Gasoline from Coal; National Coke Completes Third Retort at Plant	Nov. 13.	86
60% Yield of Gasoline Obtained at New British Coal Hydrogenation Plant; Imperial Chemical Industries at Billingham	Dec. 4.	19
Lubricants and Lubrication		
Packed Towers Useful in Solvent Refining; Special Uses of Propane, by M. J. Livingston and J. T. Dickinson	July 3.	25
System of S. A. E. Viscosity Numbers for Motor Oil Under Revision	July 3.	36
Gulf Refg. Completing Modernization Program for Lubricant Manufacture; Views of Multi-Sol Units	July 31.	24
Extreme Pressure Bases Reduce Surface Tension of E. P. Lubricants	Aug. 7.	29
Extreme Pressure Lube Standards Adopted by American Society of Lubrication Engineers	Aug. 7.	33
Motor Makers to Retain "W" Classes of Lubricating Oils in 1936, by Arch L. Foster	Aug. 14.	24 A
Sweden Adopts Standard Lubricating Oil Specifications	Aug. 28.	28
Pennsylvania Refiners Rapidly Revising Lube Manufacturing Processes, by Arch L. Foster	Sept. 4.	27
Plant Men Urged to Avoid Physical Contact With Lube Solvents, by R. S. Bonsib at Fire, Safety Marshals Meeting	Sept. 18.	40
Non-viscous Neutrals Defined by Penna. Crude Ass'n.	Oct. 2.	33
Aluminum Stearate Grease Quality Depends on Exact Manufacturing Control, by Francis J. Licata	Oct. 16.	24 D
Standards for Viscosity and Viscosity Index, by Arch L. Foster	Oct. 30.	32
Factors for Rating Quality of Lubricating Oil, Letter from Wm. F. Parish	Oct. 30.	66
Physicists' Tools Probe Lubrication Secrets, G. L. Clark, R. R. Sterrett and B. H. Lincoln Paper at A. P. I.	Nov. 13.	18
Crankcase Oil Improved by "Dope" Selected After Extensive Research and Tests, Paper by L. L. Davis, B. H. Lincoln and B. E. Sibley at A. P. I.	Nov. 13.	38
Specialized Greases Required for Proper Lubrication of the Modern Car, by Ralph R. Matthews	Nov. 13.	43
Motor Fuel and Lube Problems Increasing, S. A. E. Meeting Indicates, by Arch L. Foster	Nov. 27.	23
Lubricating the 1936 Automobile, by John W. Thompson	Dec. 11.	25
Viscosity-Gravity-Grade Diagrams Are Useful to Refiner and Lube Oil Marketer, by Richard Grosholz	Dec. 11.	39
New Auto Body Designs Make Service Men Cuss and Complicate Engine Lubrication, by A. Ludlow Clayden	Dec. 11.	45
Why Different Types of Extreme Pressure Lubricants Should Not Be Mixed, by Arch L. Foster	Dec. 11.	50
Product Uniformity Serious Problem for Grease Makers and Users; Paper Read at Lubricating Grease Manufacturers Assn., Meeting, by C. R. Ahlberg	Dec. 11.	54
Adequate Equipment Necessary to Win Share of Increased Lubrication Business, by H. O. Schramm	Dec. 11.	58
Low Volatility in Lubes Extremely Important, A. S. T. M. Hears, by L. A. Danse	Dec. 18.	38
Motor and Other Fuels		
Hydrogenated Motor Fuel Tested in England	July 3.	18
ASTM Proposes Changes in Test Methods for Vapor Pressure, Viscosity, Gum, by Arch L. Foster	July 10.	21
Fuel Alcohol Cost, Even in Europe, Much Higher Than Gasoline	Aug. 21.	21
Disulfides Decrease Susceptibility of Motor Fuels to Lead, by W. A. Schulze and A. E. Buell	Oct. 9.	25
Sweetening Gasoline More Effective,		

N. P. N. Semi-Annual Index of Technical and Semi-Technical Refinery Articles

Title	Issue	Page
Less Expensive, with Cupric Chloride, by Walter A. Schulze and A. E. Buell	Oct. 23,	24-C
New Gasoline Survey to be Conducted by Bureau of Mines	Nov. 6,	32
Aviation Fuel Ratings Require More Study, C. B. Veal Tells A. P. I.	Nov. 13,	17
Adapt Fuel Oil for Diesels, W. Mendius, W. Ainslee, C. H. Schlesman Tell A. P. I.	Nov. 13,	17
Chief Saving in Automotive Diesel Operation is in Cost of Fuel, by C. G. Anthony	Nov. 13,	34
Costs of Polymerization of Refinery and Natural Gases Studied, by Arch L. Foster	Nov. 20,	22
Polymerization, a Tool of Great Economic Utility, by Gustav Egloff	Nov. 20,	25
Variation in Operating Conditions Change Properties of Polymerized Fuel, by M. B. Cooke, H. R. Swanson and C. R. Wagner	Nov. 20,	33
Imposing Patent Structure Already Developed to Cover Polymerization	Nov. 20,	45
3.5 Cents Per Gallon is Manufacturing Cost of Polymerized Gasoline, by P. C. Keith, Jr. and J. T. Ward	Nov. 20,	52
The Mechanisms of Olefin Polymerization, by Gustav Egloff	Nov. 20,	65
Conservation of Oil Given Impetus by Polymerization Processes, by Arch L. Foster	Nov. 20,	73
Fuel and Lube Problems Increasing, S. A. E. Meeting Indicates, by Arch L. Foster	Nov. 27,	23
Irish to Promote Potato Alky-Gasoline Blends	Dec. 4,	60
Plant Control and Modernization		
Mid-Continent Refiners Modernizing Under Impetus of Better Markets, by Arch L. Foster	July 24,	27
Gulf Refg. Completing Modernization Program for Lubricant Manufacture; Multi-Sol Unit Views	July 31,	24
Chemical By-Products of Petroleum Shown at Chemical Industries Exposition	Dec. 11,	24-B
Power Plants		
Utility-Refiner Steam Plant is Suggested by R. B. Bryant and M. E. Dice at A. P. I. Meeting	Nov. 13,	42
Refining Processes and Products		
Gas Polymerization Patents Combined Under New Polymerization Process Corp.	Sept. 4,	23
Pennsylvania Refiners Rapidly Revising Lube Manufacturing Processes, by Arch L. Foster	Sept. 4,	27
Thermal Polymerization Applicable to Wide Variety of Charging Stocks; Phillips Petroleum, by Arch L. Foster	Oct. 2,	26
Colloquial Term for "Octane Number" Sought	Oct. 2,	32
Dry-Ice for "Noiseless" Motors by German Engineers	Oct. 2,	32
Disulfides Decrease Suscentibility of Motor Fuels to Lead, by W. A. Schulze and A. E. Buell	Oct. 9,	25
Sweetening Gasoline More Effective, Less Expensive, with Cupric Chloride, by Walter A. Schulze and A. E. Buell	Oct. 23,	24-C
Podbielniak Centrifugal Fractionator to be Displayed at Chemical Industries Expo	Nov. 6,	38
Specifications and Test Methods		
Changes Proposed by ASTM in Test Methods for Vapor Pressure, Viscosity, Gum, by Arch L. Foster	July 10,	21
What to do with Volatility? by Arch L. Foster	July 17,	37
Index for Fuel Volatility Proposed, by L. E. Hebl and T. B. Rendel	July 24,	36
Tests Effectiveness of Lead in Pure Hydrocarbons	July 31,	23
Color Stability Test for Gasoline Standardized in Universal Oil Laboratories	Aug. 7,	33
Standard Diesel Fuel Specifications Sought in Survey of Manufacturers, by Wm. H. Hubner and George B. Murphy	Aug. 14,	24-D
Standard Lube Specifications Adopted by Sweden	Aug. 28,	28
American and British Technologists Getting Together on Testing Methods	Aug. 28,	30
California Method for Determining Reid Vapor Pressures of Gasolines, by R. R. Crippen	Sept. 11,	25
Field Gas Tests Sponsored by Natural Gasoline Ass'n.	Oct. 2,	31
New Oxford, Kans. Crude Shows 32% Gasoline, Naphtha	Nov. 6,	34
Increased Over-All Volatility Must Pay Its Own Way, by Arch L. Foster	Dec. 4,	25
General Information		
New Compression Ignition Engine Proposed by K. A. Browne, Wright Aeronautical Corp.	July 3,	54
Alloy Specialization for Oil Industry Usage is Now Highly Developed, by L. P. McAllister	July 10,	26
New Viscosity Conversion Chart Includes Absolute Units, by M. G. Van Voorhis	July 10,	32
Hydrogen Sulfide Tester Indicates Air Quantity	July 10,	73
KJDeJuhasz Substitutes Graphical Analysis in Fuel Injection Systems	July 31,	29
Research Points to Wide Commercial Uses for Hydrocarbon Gases; American Chemical Society Meeting	Aug. 14,	24-C
Utilization of Gases Possible in Many New Ways, American Chemical Society Told, by Arch L. Foster	Aug. 21,	26
Canfield Oil New Filter Plant at Coraopolis Completed	Aug. 21,	32
Average Realization of Refiner Operating on Mid-Continent Crude Higher	Aug. 28,	26
Hope for Michigan as Refining District Depends on Building Cracking Units, by Arch L. Foster	Sept. 25,	23
Correction on Above Michigan Article	Oct. 2,	33
Spontaneous Combustion of Coal Eliminated by Oil Treatment; Gulf Refg. Coal Spraying Equipment, by M. G. Van Voorhis	Oct. 23,	24-A
Freeman - McFadden Process for Cleaning Oil Tanks Utilizes Solvents in Vapor Phase	Oct. 30,	27
Mistakes in Auto Design Are Costly to Public and Oil Industry, A. Ludlow Clayden Tells A. P. I.	Nov. 13,	31
California University Investigates Gasoline Engine Variables, Paper by C. J. Vogt at A. P. I.	Nov. 13,	33
Standardization and Simplification will Cut Automotive Service Costs, by D. G. Coombs and L. B. Veeder	Nov. 20,	77
Cromodine, New Paint for Coating Steel Against Rust	Oct. 2,	32
Fire Fighting Equipment; Dry Powder Foam Systems Supplanting Old Wet System Installations	Oct. 30,	29
Huge New Research Laboratories Built Near Pittsburgh by Gulf Companies, by Arch L. Foster	Dec. 18,	33
Million See Demonstration of Miniature Derby Oil Refinery	Dec. 18,	78
Penlaco Rust Preventatives Sold Through Esso Marketers	Dec. 18,	78

N. P. N. SEMI-ANNUAL AUTHOR INDEX

July-December, 1935

Author	Title	Issue	Page
Ahlberg, C. R.—Product Uniformity Serious Problem for Grease Makers and Users, Paper at Lubricating Grease Manufacturers Assn. Meet		Dec. 11,	54
Anthony, C. G.—Chief Saving in Automotive Diesel Operation is in Cost of Fuel		Nov. 13,	34
Buell, A. E. — Disulfides Decrease Susceptibility of Motor Fuels to Lead (Also by W. A. Schulze)		Oct. 9,	25
Sweetening Gasoline More Effective, Less Expensive with Cupric Chloride (Also by W. A. Schulze)		Oct. 23,	24-C
Clayden, A. Ludlow — New Auto Body Designs Make Service Men Cuss and Complicate Engine Lubrication		Dec. 11,	45
Cooke, M. B.—Variation in Operating Conditions Change Properties of Polymerized Fuel (Also by H. R. Swanson and C. R. Wagner)		Nov. 20,	33
Coombs, D. G. — Standardization and Simplification will Cut Automotive Service Costs (Also by L. B. Veeder)		Nov. 20,	77
Crippen, R. R.—California Method for Determining Reid Vapor Pressures of Gasolines		Sept. 11,	25
Danse, L. A. — Low Volatility in Lubes Extremely Important, A. S. T. M. Told		Dec. 18,	38
Dickinson, J. T.—Packed Towers Useful in Solvent Refining; Special Uses of Propane		July 3,	25
Egloff, Gustav — Polymerization, a Tool of Great Economic Utility		Nov. 20,	25
The Mechanisms of Olefin Polymerization		Nov. 20,	65
Foster, Arch L. — Root Refining Decision in Patent Suit vs. Universal Oil Products Upheld on Appeal		July 3,	20
A. S. T. M. Proposes Changes in Test Methods for Vapor Pressure, Viscosity, Gum		July 10,	21
What to Do with Volatility?		July 17,	37
Mid-Continent Refiners Modernizing Under Impetus of Better Markets		July 24,	27
Motor Makers to Retain "W" Classes of Lubricating Oils in 1936		Aug. 14,	24-A
Utilization of Gases Possible in Many New Ways, American Chemical Society Told		Aug. 21,	26
American and British Technologists Getting Together on Testing Methods		Aug. 28,	30
Pennsylvania Refiners Rapidly Revising Lube Manufacturing Processes		Sept. 4,	27
Hope for Michigan as Refining District Depends on Building Cracking Units		Sept. 25,	23
Thermal Polymerization Applicable to Wide Variety of Charging Stocks; Phillips Pet. Plant		Oct. 2,	26
Standards for Viscosity and Viscosity Index		Oct. 30,	32
Costs of Polymerization of Refinery and Natural Gases Studied		Nov. 20,	22
Conservation of Oil Given Impetus by Polymerization Processes		Nov. 20,	73
Motor Fuel and Lube Problems Increasing, S. A. E. Meeting Indicates		Nov. 27,	23
Increased Over-all Volatility Must Pay Its Way		Dec. 4,	25
Why Different Types of Extreme Pressure Lubricants Should Not Be Mixed		Dec. 11,	50
Gulf Companies Build Huge New Research Laboratories Near Pittsburgh		Dec. 18,	33
Grosholz, Richard — Viscosity-Gravity-Grade Diagrams Are Useful to Oil Marketers		Dec. 11,	39
Hebl, L. E. — Index for Fuel Volatility Proposed		July 24,	36
Hubner, William H. — Standard Diesel Fuel Specifications Sought in Survey of Manufacturers		Aug. 14,	24-D
Keith, Jr., P. C. — 3.5 Cents Per Gallon is Manufacturing Cost of Polymerized Gasoline (Also by J. T. Ward)		Nov. 20,	52
Licata, Francis J. — Aluminum Stearate Grease Quality Depends on Exact Manufacturing Control		Oct. 16,	24-D
Livingston, M. J. — Packed Towers Useful in Solvent Refining; Special Uses of Propane		July 3,	25
Matthews, Ralph R. — Specialized Greases Required for Proper Lubrication of the Modern Car		Nov. 13,	43
McAllister, L. P. — Alloy Specialization for Oil Industry Usage is Now Highly Developed		July 10,	26
Murphy, George B. — Standard Diesel Fuel Specifications Sought in Survey of Manufacturers		Aug. 14,	24-D
Parish, William F. — Letter on Factors for Rating Quality of Lubricating Oil		Oct. 30,	66
Rendel, T. B.—Index for Fuel Volatility Proposed		July 24,	36
Schramm, H. O. — Adequate Equipment Necessary to Win Share of Increased Lubrication Business		Dec. 11,	58
Schulze, Walter A. — Disulfides Decrease Susceptibility of Motor Fuels to Lead (Also by A. E. Buell)		Oct. 9,	25
Sweetening Gasoline More Effective Less Expensive with Cupric Chloride. (Also by A. E. Buell)		Oct. 23,	24-C
Swanson, H. R. — Variation in Operating Conditions Change Properties of Polymerized Fuel (Also by M. B. Cooke and C. R. Wagner)		Nov. 20,	33
Thompson, John W. — Lubricating the 1936 Automobile		Dec. 11,	25
Trusty, A. W. — The Influence of Various Factors in Cracking Petroleum		Nov. 6,	34
Van Voorhis, M. G. — New Viscosity Conversion Chart Includes Absolute Units		July 10,	32
Spontaneous Combustion of Coal Eliminated by Oil Treatment; Gulf Refg. Coal Spraying Equipment		Oct. 23,	24-A
Veeder, L. B.—Standardization and Simplification Will Cut Automotive Service Costs (Also by D. G. Coombs)		Nov. 20,	77
Wagner, C. R. — Variation in Operating Conditions Change Properties of Polymerized Fuel (Also by M. B. Cooke and H. R. Swanson)		Nov. 20,	33
Ward, J. T. — 3.5 Cents Per Gallon is Manufacturing Cost of Polymerized Gasoline (Also by P. C. Keith, Jr.)		No. 20,	52